



Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Cer. Perminen De M. Jure. Kan a Shet. A. 20 a. log 14 6 with, owing a tota quite sorly, intriste, 15 fely










Com tetragous 4 wings. glacer, she young 1870 avedle 2 rest apart scarrely a little prominent, spiles skort numerous, stellet aviolen Cerur orgides huxes 5 high jointelle 4 met d'an, arable close spir sleven anden, skot white. Con Principal averted not promise the Shake augher strught -Cercus strictus &C. Projil, very Tark green, 13-1/2 14. 8-9 angled, angle, slybly undulete, arole slightly promited lose 2 out apoll Neite spiner numerous, stillete. MISSOURI

BOTANICAL copyright reserved cm GARDEN MISSOURI BOTAMCAL GARDEN GEORGE ENGELMANN PAPERS



Mus Ken Sept-1869 Cereus tortuosus (Mus Kar in Mohol) ora hort Kewn, Ovary with 30 or 40 tuberles bearing small scales and 2-4 on 5 short rather stout dank spine Tube bearing many sepals, bel Mo spikes. Special - allowhol






H6. 2009. Berlei Jan 1869 Cerus mestiams Just 4 host. Colin. Berolin. H. Binch by , slatte - as well as overy best with brought they lin short soils sepel, buy by word as numer spines itter axil petels laure-line long arment

ROTANICAL copyright reserved cm GARDEN Wiss Will BOTANICAL GARDEN GEORGE ENGELMANN PAPERS The for the country of the country - The line - man when they of money . holy less 1 ghas


Ho Ken Soph 1869 Cerus Mattianus ex Host Woburn numers short satures brown spring _ Arts a vole outs 1 red apart. Hower F-10 a Cong supper sepels en petets lover - sobulate deputs of tube as well as over mell bear long wood I bustle - 'a-C-



Cerens Sprehramer a Cylondroll plant allid with colubrium used for grafling - et & Toselgers has æirial roots from the ridges between the another from the furnows, between the night either right it mille for a Cittle to the vide, never the size But My

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN




Cerci Hollemener, Holl Berolini 2-1069 Echiroraeter formores is not policy a Ceres of policy.
The section Pelangeria. 2/2-3 feet high soll 10 inher Sant _____ gibt 28- obtune, with sharp I warrow groover, Julis, Arcolae oval, 1 apart, 1 ports 5-8-15-20 apparently increasing with age, evirlen uneque and irregular, not at all like those of a lehre Cereus principoses 25 ribs Commande de la commanda del commanda del commanda de la commanda del commanda del commanda de la commanda del commanda de 4-6-5penis /2-11hah long. glacerous which only on your should stable port - lower steen single. Cercus nigen Sola somablikle duch green. 6 angulan, antolm blosely approximet, of the or len grand - young our closer. 5- sibt. dangerest sepants (Aumerian to pomposed spiker that primation beboung a Mai. even - old age remieriz ilirilli form MISSOURI BOTANICAL copyright reserved

GARDEN


cm






BOTANICAL copyright reserved cm GARDEN

MISSOURI BOTANICAL GARDEN choin some come MISSOURI BOTANICAL copyright reserved GARDEN





At Reg. Soroli Jun. 1869 Commen Sellen, 3129 Amsili. for for 5 to 9 inches long (2) corona stamin - /2 - 3/4 12 h agent for others 9-10 filifor v Ligant spins of place (when'y the of som flowers - no oth part of plant left) 3-4, notes that, black, 14-1/4 rucks log That remarke - and of the spinons low seps (long word - axils) upper septes with spines sollets
forts . - therefore Echinopsis? Com No 918 On the one insomplete half of - flower quelikant on Come put of hate. Nertonin rawity very sistint. I dend above by the Dilater Gese of slaver . - A Vilocerus ?

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

